



U.S. Department
of Transportation

**Pipeline and Hazardous
Materials Safety Administration**

East Building, PHH-32
1200 New Jersey Avenue, Southeast
Washington, D.C. 20590

**The U.S. Department of Transportation
Competent Authority for the United States**

CLASSIFICATION OF EXPLOSIVES
(FIRST REVISION)

Based upon a request by Hop Kee Pyromagic Ltd., 14781 Memorial Dr., Suite# 2770, Houston, TX, the following items are classed in accordance with § 173.56, Title 49, Code of Federal Regulations. A copy of your application, all supporting documentation and a copy of this approval must be retained and made available to DOT upon request. This Competent Authority Approval only authorizes devices that comply with the APA 87-1 Standard, incorporated by reference per § 171.7(a)(3). For renewal, please refer to § 107.705(c). Each application for renewal must contain a certification by the applicant that the explosive device for which renewal is being requested is produced by the same manufacturer(s) and is identical to the originally approved device in size, construction, weight and chemical composition and continues to comply with the APA 87-1 Standard.

U.N. PROPER SHIPPING NAME AND NUMBER:

Fireworks, UN0336

U.N. CLASSIFICATION CODE: 1.4G

<u>REFERENCE NUMBER</u>	<u>EXPIRATION DATE</u>	<u>PRODUCT DESIGNATION / PART NUMBER</u>
EX2007020127	02-28-2015	HK147 - 1.4G Toy Smoke Device - Smoke Ball; 0861C-L 2" Color Smoke Ball; BT-0012 Big Thunder 2" Color Smoke Ball; 0860C-12 Color Smoke Ball (Clay); 0860C-6 Colour Smoke Balls; 0861C-12 White Smoke Ball (Clay); 0861C-6 White Smoke Ball (Clay); BF-002 Double Color Smoke Balls; GM800 12A Assorted Color Smoke Balls; GM800* 12A Assorted Color Smoke Balls; GM800*-EG Eagle - 12A Assorted Color Smoke Balls; GM800-EG Eagle - 12A Assorted Color Smoke Balls; KASM-102 Color Smoke Balls (Clay); MX802 Colour Smoke Balls (in fold up display box); SF-246 Alien Asst Color Smoke Ball; SF-247 Alien White Color Smoke Ball

NOTE: This approval as revised supersedes all previous versions.

DATED: 03/09/2010

A handwritten signature in black ink, appearing to read 'B-P-A.' with a vertical line at the end.

For Dr. Magdy El-Sibaie
Associate Administrator for Hazardous Materials Safety